

BREAK DOWN is a concentrated blend of multi-action microbial culture series selectively adapted to offer a broad spectrum of organic degradation capabilities. The strains are chosen for superior enzyme performance and accelerated biodegradation of greases, fats, proteins, starches, sugars, oils, and cellulose, thus eliminating the accumulation of organic wastes on site. As regulations have become tighter, waste disposal more costly and grease trap requirements stricter, BREAK DOWN has been developed to effectively accelerate nature's own sanitation processes safely and to solve the organic waste problems of the food industry maintenance departments. Application areas include industrial and institutional grease trap maintenance, industrial and municipal waste water treatment, waste containment lagoon treatment, line and trap treatment for food processing plants, meat plants and markets, restaurants, cafeterias, hotels, motels, hospitals, nursing homes, jails and virtually any facility with food processing and/or preparation operations.

**Application:** Do not ingest or inhale. Avoid contact with eyes and skin. It is normal for dormant bacteria to settle in the container; therefore, mix container well before use. For optimum results, an initial "slurry" of two gallons of 9706 should be applied directly to a freshly pumped grease trap to create a "bio-mass". Surface area must be moist for degradation activity. After the initial treatment, the product is to be applied daily, by a timed injector pump, always at the end of the work day to allow uninterrupted degradation activity. The pump should be connected to the main line leading directly to the grease trap. Pump 2-5 oz. per day per 100 gallon tank capacity and 2-8 oz. per day for drain lines. Use amounts depend on the volume and the severity of the organic waste problem as well as the performance quality desired.

In order to reduce garbage area odors, spray 2-4 oz. into the dumpster onto the waste. Do not mix with any other chemical. Keep product from contaminants. Do not use other chemicals with or after this product.

☐ Gallons

5 Gallons (unless checked otherwise)

# BREAK DOWN

## Biological, Enzyme-Based Drain Line & Grease Trap Treatment Compound #9706

- \* Provides Accelerated Catalytic Biodegradation of Wastes
- \* Highly Concentrated \* Reduces Maintenance Costs & Malodors

For Commercial & Industrial Use Only  
**Keep Out Of Reach Of Children**  
Solamente Para El Uso Comercial E Industrial  
Mantengalo Fuera Del Alcance De Los Niños



www.ArcotManufacturing.com  
2950 Mowery Road, Houston, Texas 77045 (713) 413-9700

Not regulated by DOT.  
Not classified according to GHS.  
Read Safety Data Sheet Carefully Before Use.

### **PRECAUTIONARY STATEMENTS**

May cause eye and skin irritation. May be harmful if swallowed. Prolonged exposure may irritate respiratory tract. Prolonged eye contact may cause eye damage. Bacterial infection may occur through open wounds or broken skin. Product contains non-pathogenic bacteria which are susceptible to many commonly used antibiotics. Slipping hazard.

**Prevention:** Keep only in original container. Wash skin thoroughly after handling. Do not eat, drink or smoke when using this product. Use in a well-ventilated area. Wear protective gloves, protective clothing, eye protection and face protection. Avoid contact with eyes and skin, especially with open wounds or broken skin. Do not ingest or inhale. Store away from children and untrained personnel.

### **Response/First Aid:**

**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.  
**IF SWALLOWED:** Rinse mouth. Do NOT induce vomiting.  
**IF ON SKIN (or hair):** Immediately take off all contaminated clothing. Rinse skin with water or shower. Wash contaminated clothing before reuse.  
**IF INHALED:** Remove person to fresh air and keep comfortable for breathing.  
If any irritation persists, get immediate medical attention.

**Storage:** Store in a closed container at temperatures not exceeding 90°F. Protect from sunlight.

**Disposal:** Dispose of contents and container to an approved waste disposal plant in accordance with applicable local, state, federal and international regulations.