

# SAFETY DATA SHEET

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: Arcot Pot & Pan Soak Powder

Product Number: 9543

Manufacturer: Arcot Manufacturing Corporation, 2950 Mowery Road, Houston, Texas, U.S.A. 77045

Arcot Customer Service Telephone: 713-413-9700

Website: [www.ArcotManufacturing.com](http://www.ArcotManufacturing.com)

Recommended Use: concrete floor and wall cleaner and degreaser.

Restrictions On Use: Do not use on wood, marble, painted, sealed, sensitive or untested surfaces.

## 2. HAZARDS IDENTIFICATION

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS):

Acute toxicity, Oral: Category 4 (H302)

Skin corrosion/irritation: Category 1B (H314)

Eye damage/irritation: Category 1 (H318)

Specific target organ toxicity, single exposure: Category 3 (H335)

Metal Corrosion: Category 1 (H290)

### DANGER



#### Hazard Statements:

H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H335: May cause respiratory irritation.

H290: May be corrosive to metals.

#### Precautionary statements:

##### Prevention:

P102: Keep out of reach of children.

P232: Protect from moisture.

P234: Keep only in original container.

P233: Keep container tightly closed.

P235: Keep cool.

P260: Do not breathe dust.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash skin thoroughly after handling.

- P270: Do not eat, drink or smoke when using this product.
- P271: Use only outdoors or in a well-ventilated area.
- P273: Avoid release to the environment.
- P280: Wear protective gloves and eye protection.

Response:

- P305 + P351 + P338 + P310: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Immediately call a doctor or an ophthalmologist.
- P301 + P330 + P331 + P314: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Get medical attention if you feel unwell.
- P303 + P353 + P361 + P364: IF ON SKIN (or hair): Rinse skin with water. Take off immediately all contaminated clothing and wash it before reuse.
- P304 + P340 + P312: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a doctor if you feel unwell.
- P315: If any irritation persists, get immediate medical attention.
- P370 + P378: In case of fire: Use water spray, alcohol-resistant foam, carbon dioxide (CO<sub>2</sub>) or dry chemical to extinguish.

Storage:

- P402: Store in a dry place.
- P403: Store in a well-ventilated place.
- P404: Store in a closed container.
- P410: Protect from sunlight.
- P411: Store at temperatures not exceeding 90°F.

Disposal:

- P501: Dispose of contents and container to an approved waste disposal plant in accordance with applicable local, state, federal and international regulations.

Other Hazards: Slipping hazard.

### **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients	CAS #	Concentration
Sodium carbonate	497-19-8	proprietary
Sodium bicarbonate	144-55-8	proprietary
Other ingredients are nonhazardous and/or considered trade secrets. However, all hazardous aspects of the ingredients and of this mixture are considered and included.  The exact percentage of composition has been withheld as a trade secret. This SDS is used for a group of substantially similar mixtures.		

### **4. FIRST-AID MEASURES**

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: Move person into fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Consult a physician.

In case of skin contact: Take off contaminated clothing and shoes immediately. Wash skin with soap and plenty of water. Consult a physician. Wash contaminated clothing before reuse.

In case of eye contact: Immediately and thoroughly flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If easy to do, remove contact lenses. Continue rinsing eyes and consult a physician.

If swallowed: Never give anything by mouth to an unconscious person. If conscious and alert, rinse mouth with water. Do not induce vomiting. Consult a physician or poison control center immediately.

Most important symptoms and effects, both acute and delayed: Causes serious eye damage. May irritate and cause redness and pain. If ingested, causes severe irritation, nausea, abdominal pain, vomiting and diarrhea.

Treatment: Treat symptomatically. If any irritation or symptoms persists, seek medical attention immediately.

## **5. FIRE-FIGHTING MEASURES**

Specific hazards that may develop from this product during fire: Hazardous decomposition and byproducts may include carbon oxides (such as carbon monoxide and carbon dioxide), sodium oxides, sulfur dioxide and oxides of sulfur, and other unknown substances that may be toxic or irritating.

Suitable extinguishing media: Product is not combustible although the packaging may be combustible. Water spray, alcohol-resistant foam, dry chemical or carbon dioxide may be used for surrounding fires.

Advice for firefighters: Wear self-contained breathing apparatus and full protective clothing in case of fire. Keep people away. Isolate fire and deny unnecessary entry. Do not allow product to mix with strong acids.

Precautions for firefighters: Use water spray to keep fire-exposed containers cool.

## **6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency procedures: Keep unnecessary personnel away. Wear appropriate protective equipment and clothing during clean-up. See section 8 for personal protection. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Local authorities should be advised if significant spillages cannot be contained. Keep away from incompatible products.

Methods and materials for containment and cleanup procedures:

Large Spills: Stop the spill, if this is safe. If still in powder form, shovel up into an appropriate closed container. See section 7, Handling and Storage. Decontaminate tools and equipment following cleanup. If product has mixed with water, completely contain spilled material with dikes, sandbags, etc., where this is possible. Spilled material may be removed with a vacuum truck. Remaining material may be diluted with water and neutralized with weak acid, then absorbed and collected. Absorb spill with inert material (e.g., dry sand or earth), then place in a chemical waste container. Following product recovery, flush area with water.

Small Spills: Shovel up or sweep up. Clean surface thoroughly to remove residual contamination. Spills can cause slippery surfaces. Never return spills in original containers for re-use. Keep in suitable, closed containers for disposal. For waste disposal, see Section 13 of the SDS.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground. Discharge into the environment must be avoided.

## **7. HANDLING AND STORAGE**

Precautions for safe handling: See Sections 2 and 8. Read the SDS and label carefully and completely before handling this product. Do not get in eyes, on skin or on clothing. Do not taste or swallow. Do not inhale or breathe dust. Use only with adequate ventilation. Wear appropriate personal protective equipment. Transfer and storage systems should be compatible. Observe good hygiene practices. Do not eat, drink or smoke where the product is being used. Wash thoroughly after handling.

Conditions for safe storage: Keep containers tightly closed, properly labeled and upright to prevent leakage. Store in a cool, dry, shaded and well-ventilated place away from sunlight, extreme temperatures, foodstuffs and animal feed. Store at temperatures between 55°F and 90°F. Containers which are opened must be carefully resealed. Do not mix with other chemicals. Store away from acids and other incompatible materials (see section 10).

## **8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Recommended workplace control parameters for this product

OSHA PEL, TWA	ACGIH TLV, TWA	NIOSH, TWA
No Occupational Exposure Limit is assigned, but an exposure limit of 5 mg/m <sup>3</sup> (15 min TWA) is recommended	N.A.	N.A.

Appropriate engineering controls: Provide sufficient mechanical or local exhaust ventilation to maintain airborne levels below recommended exposure limits.

Personal Protective Equipment (PPE):

**Eye Protection:** Wear chemical safety goggles with side shields, splash proof goggles or a face shield to protect against eye and skin contact when appropriate. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

**Skin and Body Protection:** Wear impermeable, chemical-resistant clothing and rubber boots when potential for contact with the material exists. Contaminated clothing should be removed, then discarded or laundered.

**Hand Protection:** Wear appropriate impermeable, chemical-resistant gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Wash and dry hands after handling this product.

**Protective Material Types:** Natural rubber, Neoprene or Nitrile with minimum layer thickness of 0.11 mm and break through time of 480 minutes.

**Respiratory protection:** Respiratory protection should be worn when there is a potential to exceed the exposure limit requirements or guidelines. Selection of air-purifying or positive-pressure supplied-air will depend on the specific operation and the potential airborne concentration of the material. An NIOSH approved respirator with N95 (dust, fume, mist) cartridges may be permissible under certain circumstances. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

Handle in accordance with good hygiene and safety practice. Do not eat, drink or smoke where the product is being used. Wash thoroughly after handling.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance	Form: powder Color: white or pale amber
Odor	none / detergent like
Odor Threshold	No data available
pH	11 (1% solution)
Freezing point	Not Applicable
Initial boiling point	No data available
Flash point	No data available (Not combustible)
Evaporation rate	No data available
Flammability (solid, gas)	No data available (Not flammable)
Upper/lower flammability or explosive limits	No data available
Vapor pressure	No data available
Vapor density	No data available
Relative density	approximately 1
Water solubility	completely soluble
Partition coefficient (n-octanol/water)	No data available
Auto-ignition temperature	No data available
Decomposition temperature	No data available
Viscosity	No data available

## **10. STABILITY AND REACTIVITY**

**Reactivity:** Stable at normal temperatures and pressures in original containers.

**Chemical stability:** Stable under recommended storage conditions. This product is hygroscopic, i.e. will absorb moisture from the air. Keep liner tightly closed to protect from moisture.

**Possibility of hazardous reactions:** Hazardous polymerization does not occur. When arc welding vessels containing aqueous solutions of this material, take care to control any explosion risk from hydrogen evolved by electrolysis. Aqueous solutions will react with aluminum, zinc, tin and their alloys evolving hydrogen gas which can form an explosive mixture with air. Can react violently if in contact with acids. Can react with sugar residues to form carbon monoxide.

Conditions to avoid: Moisture. Contact with incompatible materials. Contact with other chemicals. Extreme temperatures.

Incompatible materials: Oxidizing agents and acids. Aluminum. Fluorine. Zinc.

Hazardous decomposition products: In the event of fire, see section 5.

## **11. TOXICOLOGICAL INFORMATION**

Likely routes of exposure:

Ingestion: Harmful if swallowed. May cause chemical burns.

Inhalation: Severely irritating to the respiratory system.

Skin contact: Will cause chemical burns. Corrosive to skin.

Eye contact: Material will cause chemical burns. May cause permanent damage if eye is not immediately irrigated. Corrosive to eyes.

Symptoms related to the physical, chemical and toxicological characteristics:

Exposure symptoms may include burning sensation. After exposure, there may be a time delay before irritation and other effects occur. May irritate the skin, eyes, and mucous membranes. Eye contact causes irritation with possible corneal damage and blindness. Ingestion may cause irritation and nausea.

Information on toxicological effects: Acute toxicity. Harmful if swallowed.

Germ cell mutagenicity: No data available

Carcinogenicity: This product is not classified as a carcinogen by NTP, IARC, ACGIH or OSHA. No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by NTP, IARC, ACGIH or OSHA.

Reproductive toxicity: No data available

Specific target organ toxicity - single exposure: No data available

Specific target organ toxicity - repeated exposure: No data available

Aspiration hazard: No data available

Additional Information: RTECS: Not available

## **12. ECOLOGICAL INFORMATION**

Aquatic toxicity: no data available for this product. In concentrated form, due to its alkaline pH, this product may be harmful to aquatic organisms. Avoid release of unused, concentrated product into the environment.

Biodegradation: The organic ingredients of this product are biodegradable. Inorganic material are not subject to biodegradation.

Persistence: no data available for this product. Most of the components of this mixture are believed to either be biodegradable or exist in the disassociated state in the environment.

Bio-accumulative potential: no data available for this product. Based on ingredient studies, this product is not expected to bio-concentrate in organisms.

Mobility in soil: no data available for this product.

Other adverse effects: No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this product. An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### **13. DISPOSAL CONSIDERATIONS**

See section 8.

Disposal Instructions: Collect and reclaim or dispose in sealed HDPE containers or containers with plastic lining through a licensed disposal company. Unused product and its container must be disposed of as alkaline waste. Product may be neutralized using a weak acid. Do not allow this material to drain into sewers or water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents and container in accordance with local, regional, national and international regulations.

Contaminated packaging: If emptied containers retain product residue, follow label warnings even after container is emptied.

### **14. TRANSPORT INFORMATION**

DOT (US): Not regulated by DOT.

Reportable Quantity (RQ): N.A.

Poison Inhalation Hazard: No

### **15. REGULATORY INFORMATION**

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SARA 302 Components (Extremely Hazardous Substances): None of the ingredients are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: None

SARA 311/312 Hazards: Acute (Immediate) Health Hazard. Chronic (Delayed) Health Hazard.

CERCLA Hazardous Substance List (40 CFR 302.4): None

### **16. OTHER INFORMATION**

HMIS & NFPA Ratings: Health = 2 Fire = 0 Reactivity = 1

*HMIS & NFPA ratings involve data interpretations that may vary from company to company. They are intended only for rapid, general identification of the magnitude of the specific hazard. To deal adequately with the safe handling of this material, all the information contained in this SDS must be considered.*

Abbreviations:

ACGIH = American Conference of Governmental Industrial Hygienists

CAS = Chemical Abstract Service

GHS = Globally Harmonized System

HCS = Hazard Communication Standard

N.A. = Not Available or Not Applicable

NIOSH = National Institute for Occupational Safety & Health

PEL = Permissible Exposure Limit

RTECS = Registry of Toxic Effects of Chemical Substances

STEL = Short Term Exposure Limit

TLV = Threshold Limit Values

TWA = Time Weighted Average limit or ceilings (C) (exposure limit)

**DISCLAIMER:** The information contained herein is based upon data obtained from sources believed to be reliable and reflects our best professional judgment. Since it is impossible to anticipate all of the conditions under which our products may be used, we do not guarantee that the recommendations will be adequate for all individuals and situations. Each user of this product should determine the suitability of the product for his or her particular purpose and should comply with all federal, state and local regulations. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. We shall not be held liable for any damage resulting from handling or from contact with the above product or from improper use of our products. We do not provide any warranties, expressed or implied, and do not assume any responsibility for the accuracy or completeness of the data contained herein. This information is offered for your information, consideration, and investigation. You should satisfy yourself that you have all current data relevant to your particular use. We update SDS and labels on a regular basis. Please do not hesitate to contact us for current information.

Revision Date: July 10, 2022